


CONNECTIONS




SHORT CONNECTOR
(RN-EJZ-1373)

(PIN VIEW)

13P DIN CONNECTOR
(FEMALE)




RV TV 3 — DIGITAL TV SETUP USING LCD TVS W/BUILT-IN ANALOG/DIGITAL USING WINEGARD VIDEO SWITCH (not an antenna wall plate)



Premium audio optional power amplifier harness connectors

Connector C0491 is a 12 pin connector used for audio and power inputs from navigation/ICE radio receiver/audio unit for power amplifier operation.

12 pin connector C0491 (white)



M86 5048

Pin No.	Description
1	Speaker - Left front +
2	Speaker - Right front +
3	Speaker - Left rear +
4	Earth
5	Ignition switch (AUX) power supply
6	Speaker - Left front
7	Speaker - Right front
8	Speaker - Left rear
9	Speaker - Right rear +
10	Speaker - Right rear
11	Earth
12	Ignition switch (AUX) supply


Pressauto.NET

INTERCONNECT WIRING COLOR

12 VOLT IGNITION/Acc.	RED
12 VOLT BATT/MEMORY	YELLOW
GROUND	BLACK
POWER ANTENNA	BLUE
AMP TURN ON	BLUE /
AMP GROUND	BLACK
ILLUMINATION	ORANGE
DIMMER	ORANGE
PHONE MUTE	BROWN
RIGHT FRONT+	GRAY
RIGHT FRONT-	GRAY /
LEFT FRONT+	WHITE
LEFT FRONT-	WHITE
RIGHT REAR+	VIOLET
RIGHT REAR-	VIOLET
LEFT REAR+	GREEN
LEFT REAR-	GREEN

AUDIO

AV-AUDIO-06



REFER TO THE FOLLOWING.

(B1) -SUPER MULTIPLE JUNCTION (SMJ)

both controlled by pull switch

Fan Wiring

